# NREL's Alternative Fuel Transit Bus Evaluation Program

Paul Norton




National Renewable Energy Laboratory Golden, Colorado

Windsor Workshop on Alternative Fuels Toronto, Canada June 5, 1996

#### Center for Transportation Technologies and Systems

## Sponsored by the U.S. Department of Energy Office of Transportation Technologies



#### **Participants**

- Battelle: Data collection and analysis
- University of Missouri: Data collection and analysis
- West Virginia University: Emissions testing
- Transit Sites
  - Bi-State Development Agency, St. Louis, MO
  - GP Transit, Peoria, IL
  - Houston Metro, Houston, TX
  - Metro-Dade Transit Authority (MDTA), Miami, FL
  - Metropolitan Council of Transit Operations (MCTO), Minneapolis/St. Paul, MN
  - Pierce Transit, Tacoma, WA
  - Triboro Coach Company (NYC DOT), New York, NY
  - Tri Met, Portland, OR

#### **Presentation Outline**

- Purpose of Program
- Program design
- Results
- Future direction

"Everything went quite well as long as a mechanic from Augsburg and an engineering school professor were permenantly on hand." "Everything went quite well as long as a mechanic from Augsburg and an engineering school professor were permenantly on hand."

An early diesel engine owner—late 1890s

from: Diesel's Engine by C. Lyle Cummins, Jr., Carnot Press (distributed by SAE)

#### **Purpose of Program**

Perform unbiased, comprehensive evaluation of alternative fuels compared to diesel fuel in transit bus industry

- Reliability
- Cost
- Emissions
- Infrastructure/facility issues



#### Purpose of Program (continued)

#### Alternative fuels

- E95/E93
- M100
- CNG
- LNG
- Biodiesel
- LPG (future)

#### **Program Design Targets**

- OEM production engines only
- Ten test buses of each technology, split between two sites
- Control and test buses have identical vehicle specifications, except for the alternative fuel
- Routes of control and test buses are similar or buses are randomly dispatched
- Cooperation of transit agencies


#### Program Design

		Technology								
Agency	Engine	M100	E95	LNG PING	LNG Si	CNG Si	BD-20	DSL w/ Trap	DSL CNTRL	Total
Houston	DDC 6V92			10					5	15
Portland	Cum L10				8				5	13
Miami	DDC 6V92	5							5	10
	Cum L10					5		5	10	20
Minneapolis	DDC 6V92		5					5	5	15
Peoria	DDC 6V92		5					3		8
Tacoma	Cum L10					5			5	10
New York (Triboro)	DDC 6V92/ Series 50	5							5	5 5
St. Louis	DDC 6V92						5		5	10
	Total	10	10	10	8	10	5	13	45	111

#### **Data Being Recorded**

- 18 months of data collection per site
- Fuel and oil additions
- All parts replaced/work done, except warranty
  - Parts replaced coded using ATA coding
  - Type of work done coded
  - Parts cost and labor hours
- Chassis dynamometer emissions (West Virginia University)

## Total Mileage on Alternative Fuel Buses (thousands of miles)




#### Results

- Reliability
- Operating Costs
- Emissions


### Reliability

#### Vehicle Reliability—Road Calls/1000 Miles




### **Operating Costs**


#### Cost Breakdown for Transit Bus Operations



#### Fuel Costs/1000 miles



## Maintenance Costs/1000 Miles (Alternative Fuel-Affected Systems Only)




#### **Emissions Results**

#### **Emissions Test Procedures**

- West Virginia University transportable chassis dynamometer
- Central Business District (CBD) test cycle
- Tested annually at transit site

#### Chassis Dynamometer Test Cycle







#### **Emissions Test Results**

- Unexpected chassis dynamometer results compared with engine dynamometer data
- Early generation alternative fuel buses have greater variability than diesel buses
- Working with OEMs to identify causes


### Sample Emissions Results— Carbon Monoxide from CNG and Diesel Buses



### Sample Emissions Results— Particulate Matter from CNG and Diesel Buses



#### Average Particulate Matter Emissions



#### **Emissions Test Results—Conclusions**

- Particulate matter emissions lower than diesel
- Alternative fuels have the potential to reduce other exhaust emissions
- Other factors are also very important
  - Technology level
  - Vehicle maintenance

#### Some Program Conclusions

- Bus reliability (road calls) generally comparable with diesel except for LNG sites
- Bus operating costs are driven by fuel costs
  - Operating costs comparable for CNG
  - Operating costs high for alcohols
- Bus capital costs opposite operating costs
  - High for CNG, low for alcohols
- Particulate matter emissions are lower than diesel
- More work needed on emissions

#### **Future Plans**

- Wrap up current sites by July 1996
- Produce Final Report
- Produce more detailed case studies of some sites
- Begin new study with the next generation of technology in 1997

#### More Information

- SAE Paper has more results than this presentation
- Final Report expected this summer
  - Call the National Alternative Fuels Hotline 1-800-423-1DOE
- Visit our Web Site
   http://www.afdc.doe.gov